



Socialstyrelsen

Litteraturliste til temaet Recovery

marts 2022

Viden til gavn

Publikationen er udgivet af
Socialstyrelsen
Edisonsvej 1
5000 Odense C
Tlf: 72 42 37 00
E-mail: info@socialstyrelsen.dk
www.socialstyrelsen.dk

Udgivet 11. marts 2022

Litteraturliste til temaet Recovery

Baggrund for søgning

År for søgning: juni 2016

Tidsafgrænsning: 2011-2016

Geografisk afgrænsning: Internationalt, ikke nordisk

Den samlede litteraturliste

Anker, M. G. et al. (2009). Using Client Feedback to Improve Couple Therapy Outcomes: A Randomized Clinical Trial in a Naturalistic Setting. *Journal of Consulting and Clinical Psychology*, Vol. 77 (4): 693-704.

Anthony, William A. (2000). A Recovery Oriented Service System: Setting some system level standards. *Psychiatric Rehabilitation Journal*, Vol. 24 (2): 159-168.

Bargmann, S. et al (2017). *Feedback Informed Treatment: En grundbog*. Kbh.: Akademisk forlag.

Bendsen, T. (2009). *Noter i statistik*. VIA University College Bioanalytikeruddannelsen.

Bengtsson, S. & Gregersen, S. Ø. (2013). *Integrerede indsatser for mennesker med psykiske lidelser: En forskningsoversigt (13:15)*. Kbh.: SFI – Det Nationale Forskningscenter for Velfærd.

Berking, M. et al. (2006). How effective is systematic feedback of treatment progress to the therapist? An empirical study in a cognitive-behavioural-oriented inpatient setting (in German).

Bickman, L. et al. (2011). Effects of Routine Feedback to Clinicians on Mental Health Outcomes of Youths: Results of a Randomized Trial. *Psychiatric Services*, Vol. 62 (12): 1423-1429.

Boblberg.dk (u.å.). *Bobler du også?* Boblberg.dk. Tilgængelig fra: <https://boblberg.dk/> [lokaliseret 09-01-2019]

Borg, Marit & Kristiansen, Kristjana (2008). Working on the edge: The meaning of work for people recovering from severe mental distress in Norway. *Disability & Society*, Vol. 23 (5): 511-523.

Borg, Marit et al (2005). What Makes a House a Home: The Role of Material Resources in Recovery from Severe Mental Illness. *American Journal of Psychiatric Rehabilitation*, Vol. 8 (3): 243-256.

Brodey, B. B. et al. (2005). The acceptability and effectiveness of patient-reported assessments and feedback in a managed behavioral healthcare setting. *American Journal of Managed Care*, Vol. 11 (12): 774-780.

Buus, N et al. (2017). Adapting and Implementing Open Dialogue in Scandinavian Countries. *Issues in Mental Health Nursing*, Vol. 38 (5): 391-401.

Byrne, S. L. et al. (2012). The effects of progress monitoring on subsequent readmission to psychiatric care: A six-month follow-up. *Journal of Affective Disorders*, Vol. 137 (1-3): 113-116.

Børne- og Socialministeriet (2017). *Socialpolitisk redegørelse*. Kbh.: Børne- og Socialministeriet.

- Campbell, A. & Hemsley, S. (2009). Outcome Rating Scale and Session Rating Scale in psychological practice: Clinical utility of ultra-brief measures. *Clinical Psychologist*, Vol. 13 (1): 1-9.
- Christensen, A. & Dalgaard, M. (2013). Implementering af Feedback Informed Treatment i institutioner. *Fokus på Familien*, Vol. 41 (4): 322-341.
- Christensen, A. I. et al. (2010). *Mental sundhed blandt voksne danskere*. København: Sundhedsstyrelsen.
- Cuijpersa, Pim et al. (2014). Managing depression in older age: Psychological interventions. *Maturitas*, Vol. 79 (2): 160-169.
- Dalum, Helle Stentoft et al. (2015). From Recovery Programs to Recovery-Oriented Practice? A Qualitative Study of Mental Health Professionals' Experiences When Facilitating a Recovery-Oriented Rehabilitation Program. *Archives of Psychiatric Nursing*, Vol. 29 (6): 419-425.
- Davidson et al. (2012). Peer Support among persons with severe mental illnesses: A review of evidence and experience. *World Psychiatry*, Vol. 11 (2): 123-128.
- Duncan, B. et al (2003). *Young Child Outcome Rating Scale (YCORS)*.
- Edwards, N. et al. (2004). Multiple intervention research programs in community health. *The Canadian Journal of Nursing Research*, Vol. 36 (1): 40-54.
- Eplov, L. F. & Lauridsen, S. (2008). *Fremme af mental sundhed: baggrund, begreb og determinanter*. Kbh.: Sundhedsstyrelsen.
- Eplov, L.F. et al. (2010). *Psykiatrisk og Psykosocial Rehabilitering: En recovery-orienteret tilgang*. Kbh: Munksgaard.
- Folker, A. Paldam & Rod, N. Hulvej (2016). Mental sundhed og stress. I: Grønbæk, Morten et al., *Forebyggende Sundhedsarbejde* (6. udg.) (s. 267-286). Kbh.: Munksgaard.
- Friborg, Annette (2006). *Fra fucking barndom til fed fremtid: Livshistoriearbejde med anbragte børn og unge*. Vojens: Friborg.
- Gústafsson, Jónas (2014). *Livshistoriefortællinger: Nøglen til livet: En inspirations- og praksisbog*. Frederiksberg: Frydenlund.
- Haber, David (2006). Life review: Implementation, theory, research and therapy. *International Journal of Aging and Human Development*, Vol. 63 (2): 153-171.
- Hammelsvang, Sofie et al., (2016). *Guide til selvhjælp: En kvalitativ undersøgelse af ABC-guiden som brugbart redskab til mental sundhedsfremme*. Kbh: Statens Institut for Folkesundhed; Syddansk Universitet.
- Hansen, Bodil H. (2017, 25. april). *Udvikling i beskæftigelse blandt psykiatriske patienter*. Analysenotat. Kbh.: KL.
- Hansen, Helle (2016). *Feedback Informed Treatment (FIT)*. Kbh: SFI – Det Nationale Forskningscenter for Velfærd.
- Hansen, Helle et al (2016). *Evaluering af Feed Back- Informed Treatment ved Silkeborg Kommunes Familiecenter. (16:19)*. Kbh.: SFI – Det Nationale Forskningscenter for Velfærd.
- Hansson, H. et al. (2012). Intervention with feedback using Outcome Questionnaire 45 (OQ-45) in a Swedish psychiatric outpatient population: A randomized controlled trial. *Nordic Journal of Psychiatry*, Vol. 67 (4): 274-281.

- Harmon, C. et al. (2007). Enhancing outcome for potential treatment failures: Therapist–client feedback and clinical support tools. *Psychotherapy Research*, Vol. 17 (4): 379-392.
- Harrison, G. et al. (2001). Recovery from psychotic illness: A 15- and 25-year follow up study. *The British Journal of Psychiatry*, Vol. 178(Jun.): 506-517.
- Hawkins, E. et al. (2004). The therapeutic effects of providing patient progress information to therapists and patients. *Psychotherapy Research*, Vol. 14 (3): 308-327.
- Hopper, Kim et al. (Red.) (2007). *Recovery from Schizophrenia: An international Perspective: A report from the WHO Collaborative Project: The International Study of Schizophrenia*. New York: Oxford University Press.
- Horsdal, Marianne (2017). *Tilværelsens fortællinger: Tilegnelse og anvendelse*. Kbh.: Hans Reitzels Forlag.
- ICCE (2016). *The International Center for Clinical Excellence*. ICCE. Tilgængelig fra: <https://www.centerforclinicalexcellence.com/> [lokaliseret 07-07-2016]
- Indenrigs- og Sundhedsministeriet (2006). *Psykisk sygdom og kriminalitet*. København: Indenrigs- og Sundhedsministeriet.
- Juliussen, Finn Blickfeldt (2016). Betydningen af feedback fra 'erfarings-eksperter': Den bedste indikator på, om indsatsen virker, får man ved at spørge borgeren selv. *STOF*, Vol. (26): 59-68.
- KL (2017). *Fælles om fremtidens socialpolitik*. Kbh.: KL.
- Korte, J. et al. (2012). Life review therapy for older adults with moderate depressive symptomatology: A pragmatic randomized controlled trial. *Psychological Medicine*, vol. 42 (6): 1163-1173.
- Korte, J. et al. (2014). Life review in groups? An explorative analysis of social processes that facilitate or hinder the effectiveness of life review. *Aging & Mental Health*, Vol. 18 (3): 376-384.
- Koushede, Vibeke & ABC-partnerskabet (2017). *Mental sundhed til alle: ABC i teori og praksis*. Kbh.: SIFs Forlag (Institut for Folkesundhed, SDU).
- Koushede, Vibeke (2015). *For mental sundhed: Et nyt perspektiv*. Kbh.: SIFs Forlag (Statens Institut for Folkesundhed).
- Koushede, Vibeke et al. (2015). From rhetoric to action: Adapting the Act-Belong-Commit Mental Health Promotion Programme to a Danish context. *International Journal of Mental Health Promotion*, Vol. 17 (1): 22-23.
- Københavns Kommune (2014, 19. december). *Trygfonden finansierer forskningsprojekt om FIT*. Kbh.: Københavns Kommune. Tilgængelig fra: <https://www.kk.dk/nyheder/trygfonden-finansierer-forskningsprojekt-om-fit> [Lokaliseret 06-06-17.]
- Lambert, M. et al. (2001). The effects of providing therapists with feedback on patient progress during psychotherapy: Are outcomes enhanced? *Psychotherapy Research*, Vol. 11 (1): 49-68.
- Lambert, M. et al. (2002). Enhancing psychotherapy outcomes via providing feedback on client progress. *Clinical Psychology and Psychotherapy*, Vol. 9 (2): 91-103.
- le Boutillier, Clair et al. (2011). What Does Recovery Mean in Practice? A Qualitative Analysis of International Recovery-Oriented Practice Guidance. *Psychiatric services*, Vol. 62 (12): 1470-1476.
- Leamy, Mary et al. (2011). Conceptual framework for personal recovery in mental health: Systematic review and narrative synthesis. *British Journal of Psychiatry*, Vol. 199 (6): 445-452.

- Leff, Julian P. & Warner, Richard (2006). *Social Inclusion of People with Mental Illness*. Cambridge: Cambridge University Press.
- Link, B. G. & Phelan, J. (1995). Social Conditions As Fundamental Causes of Disease. *Journal of Health and Social Behavior*, Vol. 36(Dec. Extra Issue): 80-94.
- Link, Bruce G. et al (2001). "Stigma as a Barrier to Recovery: The Consequences of Stigma for the Self-Esteem of People With Mental Illnesses". *Psychiatric Services*, Vol. 52 (12): 1621-1626.
- Liversage, Anika (2017). *Voldsforebyggelse på botilbud og forsorgshjem*. Kbh.:SFI – Det Nationale Forskningsinstitut for Velfærd.
- Lægsgaard, M. Balleby et al. (2017). *Kvalitet i den kommunale indsats over for borgere med psykiske lidelser: Åben Dialog*. Evalueringsrapport udarbejdet for Socialstyrelsen af DEFACTUM. Odense: Socialstyrelsen. Udarbejdet for Socialstyrelsen af Rambøll Management Consulting. Aarhus: Rambøll.
- Marselisborg - Center for udvikling, kompetencer og viden (2012). *Ungeguide: Inspiration til indsatsen med psykisk sårbare unge*. Århus: Marselisborg – Center for Udvikling, Competence og Viden.
- Miller, S. & Bertolino, B. (2012). *ICCE Manualer om Feedback Informed Treatment (FIT)*. International Center for Clinical Excellence. Tilgængelig fra: https://portaplay.dk/wp-content/blogs.dir/82/files/sites/82/2018/03/Fit_content_print_ready_2.pdf.
- Miller, S. et al. (2005). Making Treatment Count: Client-Directed, Outcome-Informed Clinical Work with Problem Drinkers. *Psychotherapy in Australia*, Vol. 11 (4): 42-56.
- Miller, S. et al. (2005). The Partners for Change Outcome Management System. *Journal of Clinical Psychology*, Vol. 61 (2): 199-208.
- Miller, S. et al. (2006). Using formal client feedback to improve outcome and retention: Making ongoing, real-time assessment feasible. *Journal of Brief Therapy*, Vol. 5 (1): 5-22.
- Miyamoto, Yuki & Tamaki, Sono (2012). Lessons from Peer Support Among Individuals with Mental Health Difficulties: A Review of the Literature. *Clinical Practice and Epidemiology in Mental Health*, Vol. 8: 22-29.
- Newnham, E. A. et al. (2010). Progress Monitoring and feedback in psychiatric care reduces depressive symptoms. *Journal of Affective Disorders*, Vol. 127 (1-3): 139-146.
- Nielsen, S. F. et al. (2011). Psychiatric disorders and mortality among people in homeless shelters in Denmark: A nationwide register-based cohort study. *Lancet*, Vol. 377 (9784): 2205-2214.
- Nordentoft, Merete et al. (2012). *Psykisk sygdom og ændringer i livsstil*. Kbh.: Vidensråd for forebyggelse.
- NREPP (2016). *Partners for Change Outcome Management System (PCOMS)*: International Center for Clinical Excellence. NREPP.
- OECD (2012). *Mental Health and Work – Denmark*. OECD Publishing.
- Olson et al. (2014). *The Key elements of dialogic practice in Open Dialogue*. Worcester, MA: The University of Massachusetts Medical School.
- Pedersen, Carsten Bøcker et al (2014). A Comprehensive Nationwide Study of the Incidence Rate and Lifetime Risk for Treated Mental Disorders 2014, *JAMA Psychiatry*, Vol. 71 (5): 573-581).

Ph.D.-afhandling. Stockholm: Stockholms Universitet.

Pinquart, M. & Forstmeier, S. (2012). Effects of reminiscence interventions on psychosocial outcomes: A meta-analysis. *Aging & Mental Health*, Vol. 16 (5): 541–558.

Rambøll Management (2014). *Åben Dialog: Del I: Om tilgangen*. Udarbejdet for Socialstyrelsen af Rambøll Management Consulting. Aarhus: Rambøll.

Rambøll Management (2014). *Åben Dialog: Del II: Manualen*. Udarbejdet for Socialstyrelsen af Rambøll Management Consulting. Aarhus: Rambøll.

Reese, R. et al. (2009). Does A Continuous Feedback System Improve Psychotherapy Outcome? *Psychotherapy*, Vol. 46 (4): 418-431.

Reese, R. et al. (2010). Effect of Client Feedback on Couple Psychotherapy Outcomes. *Psychotherapy*, Vol. 47 (4): 616-630.

Regeringens udvalg om psykiatri (2013). *En moderne, åben og inkluderende indsats for mennesker med psykiske lidelser*. København: Regeringens udvalg om psykiatri.

Repper, Julie et al. (2013). *Peer-support workers: Theory and practice*. London: Centre for Mental Health and Mental Health Network, NHS Confederation.

Schmidt, U. et al. (2006). Does personalized feedback improve the outcome of cognitive-behavioural guided self-care in bulimia nervosa? A preliminary randomized controlled trial. *British Journal of Clinical Psychology*, Vol. 45 (Pt 1): 111-21.

Seikkula, J et al. (2004). Five-year experience of first-episode nonaffective psychosis in open-dialogue approach: Treatment principles, follow-up outcomes, and two case studies. *Psychotherapy Research*, Vol. 16 (2): 214-228.

Seikkula, J. & Arnkil, T. E. (2014). *Åben dialog i relationel praksis: Respekt for anderledeshed i øjeblikket*. Kbh.: Akademisk forlag.

Seikkula, J. (2011). Becoming dialogical: Psychotherapy or a way of life? *Australian and New Zealand Journal of Family Therapy*, Vol. 32 (3): 179-193.

Seikkula, J. (2016, 20. august). Open Dialogues in the present and the future: New developments. Open Dialogue: An international community. Tilgængelig fra: <http://open-dialogue.net/open-dialogues-in-the-present-and-the-future-new-developments/>

SFI – Det Nationale Forskningscenter for Velfærd (2015). *Social forskning: Tema om hjemløshed*. (Nr. 3). Kbh.: SFI – Det Nationale Forskningscenter for Velfærd.

Simon, W. et al. (2012). Providing patient progress information and clinical support tools to therapists: Effects on patients at risk of treatment failure. *Psychotherapy Research*, Vol. 22 (6): 37-41.

Slade, K et al. (2008). Improving psychotherapy outcome: The use of immediate electronic feedback and revised clinical support tools. *Clinical Psychology & Psychotherapy*, Vol. 15 (5): 287-303.

Slade, M. & Longden, E. (2015). Empirical evidence about mental health and recovery. *BMC Psychiatry*, Vol. 15(Dec), ArtID: 285.

Slade, M. & Longden, E. (2015). *The empirical evidence about mental health and recovery: How likely, how long, what helps?* Victoria: MI Fellowship.

- Slade, M. et al. (2006). Use of standardized outcome measures in adult mental health services: Randomised controlled trial. *British Journal of Psychiatry: The Journal of Mental Science*, Vol. 189 (4): 330-336.
- Slade, Mike (2013). *100 ways to support recovery: A guide for mental health professionals*. London: Rethink Mental Illness.
- Slade, Mike et al. (2015). Development of the REFOCUS intervention to increase mental health team support for personal recovery. *The British Journal of Psychiatry: The Journal of Mental Science*, Vol. 207 (6): 544-550.
- Social Exclusion Unit (2004). *Mental Health and Social Exclusion*. London: Office of Deputy Prime Minister.
- Socialstyrelsen (2017). *Omkostningsvurdering af Feedback Informed Treatment (FIT)*. Odense: Socialstyrelsen.
- Socialstyrelsen (2017). Socialanalyse: Feedback Informed Treatment. En metode i vækst. *SocialAnalyse* nr. 3. Odense: Socialstyrelsen.
- Sundhedsdatastyrelsen (2016). *Udvalgte nøgletal for det regionale sundhedsvæsen 2009-2015*. Kbh.: Sundhedsdatastyrelsen.
- Sundhedsstyrelsen (2012). *Forebyggelsespakke: Mental sundhed*. Kbh.: Sundhedsstyrelsen.
- Tew, J. et al. (2012). Social Factors and Recovery from Mental Health Difficulties: A Review of the Evidence. *The British Journal of Social Work*, Vol. 42 (3): 443-460.
- Thomsen, Dorthe Kirkegaard (2013). *Livshistorien*. Aarhus: Aarhus Universitetsforlag.
- Thybo, Peter (2016). *Det Dobbelte KRAM: Et tværfagligt arbejdsgrundlag for mental sundhed, helbred og trivsel*. Kbh.: Hans Reitzels Forlag.
- Topor, Alain (2001). *Managing the contradictions: Recovery from severe mental disorders*.
- Topor, Alain et al. (2011). "Not just an individual journey – social aspects of recovery". *International Journal of Social Psychiatry*, Vol. 57 (1): 90-99.
- Vange, B. (2015). *Set, hørt og forstået: Inspiration til åben dialog og netværksmøder*. Kbh.: Akademisk forlag.
- Waddell, Gordon & Burton, Kim (2006). *Is work good for your health and well-being?* London: TSO: The Stationary Office.
- Wallace, G et al. (2016). Service user experiences of REFOCUS: A process evaluation of a pro-recovery complex intervention. *Social Psychiatry and Psychiatric Epidemiology*, Vol. 51 (9): 1275-1284
- Wang, L. F. & Richter, L. (2016, 1. august). Psykisk sårbare unge står i ingenmandsland. *Information*, s. 6-9.
- Warren J. S. et al. (2010). Youth psychotherapy change trajectories and outcomes in usual care: Community mental health versus managed care settings. *Journal of Consulting and Clinical Psychology*, 78 (2): 144-155.
- Whipple, J. et al. (2003). Improving the Effects of Psychotherapy: The Use of Early Identification of Treatment Failure and Problem-Solving Strategies in Routine Practice. *Journal of Counseling Psychology*, Vol. 50 (1): 59-68.
- Williams, J. et al. (2015). Development and evaluation of the INSPIRE measure of staff support for personal recovery. *Social Psychiatry and Psychiatric Epidemiology*, Vol. 50 (5): 777-786.

Zeitschrift für Klinische Psychologie und Psychotherapie, Vol. 35 (1): 21-29.

Åben Dialog i Center for Bo-området (2016). *Del 1. Grundlæggende viden*. Aarhus: Aarhus Kommune.

Åben Dialog i Center for Bo-området (2016). *Del 2. Afholdelse af netværksmøder*. Aarhus: Aarhus Kommune.

Temaet er i juli 2020 opdateret med følgende litteratur

Anker, M.G. et al. (2009). Using Client Feedback to Improve Couple Therapy Outcomes: A Randomized Clinical Trial in a Naturalistic Setting. *Journal of Consulting and Clinical Psychology*, Vol. 77(4): 693-704.

Bargmann, S. (Red.) (2017). *Feedback Informed Treatment – En grundbog*. Kbh: Akademisk forlag.

Bengtsson, S. & Gregersen, S. Ø. (2013). *Integrerede indsatser for mennesker med psykiske lidelser: En forskningsoversigt*. København: SFI – Det Nationale Forskningscenter for Velfærd.

Bergström, T. et al. (2018). The family-oriented open dialogue approach in the treatment of first-episode psychosis: Nineteen-year outcomes. *Psychiatry Research*, Vol. 270: 168-175.

Brattland, H. et al. (2019). Does the Working Alliance Mediate the Effect of Routine Outcome Monitoring (ROM) and Alliance Feedback on Psychotherapy Outcomes? A Secondary Analysis From a Randomized Clinical Trial. *Journal of Counseling Psychology*, Vol. 66(2): 234-246.

Buus, N. et al. (2017). Adapting and Implementing Open Dialogue in Scandinavian Countries: A scoping review. *Issues in Mental Health Nursing*, Vol. 38(5): 391-401.

Buus, N. et al. (2018). The association between Open Dialogue to young Danes in acute psychiatric crisis and their use of health care and social services. A retrospective register-based cohort study. *International Journal of Nursing Studies*, Vol. 91: 119-127.

Campbell, A. & Hemsley, S. (2009). Outcome Rating Scale and Session Rating Scale in psychological practice: Clinical utility of ultra-brief measures. *Clinical Psychologist*, Vol. 13 (1): 1-9.

CFK: Folkesundhed og Kvalitetsudvikling (2016). *Kvalitet i den kommunale indsats over for borgere med svære psykiske lidelser: Midtvejsevaluering*. Aarhus: CFK: Folkesundhed og Kvalitetsudvikling, Region Midtjylland.

Christensen, A. & Dalgaard, M. (2013). Implementering af Feedback Informed Treatment i institutioner. *Fokus på Familien*, Vol. 41(4): 321 -341

DEFACTUM (2017). *Kvalitet i den kommunale indsats over for borgere med psykiske lidelser: Åben Dialog*. Odense: Socialstyrelsen.

Duncan, B. et al. (2003). *Young Child Outcome Rating Scale (YCORS)*.

Eplov, L.F. et al. (2010). *Psykiatrisk og Psykosocial Rehabilitering: En recovery-orienteret tilgang*. Kbh.: Munksgaards Forlag.

Hansen, Helle et al. (2016). *Evaluering af Feedback-Informed Treatment ved Silkeborg Kommunes Familiecenter*. København: SFI – Det Nationale Forskningscenter for Velfærd.

Jensen, M.C.F. et al. (2018). *Din Indgang – et nyt tilbud?: Evaluering af forsøg rehabilitering, peer-støtte og frivillighed til nye borgere på psykiatri- og handicapområdet i Fredericia Kommune*. Kbh.: VIVE.

- Johansen, L. & Castella, J. (2013). Åben Dialog i Danmark: Beskrivelse af erfaringer. Arbejdsdokument ifm. regeringens psykiatrirapport SUM 2013.
- Lakeman, R. (2014). The Finnish Open Dialogue Approach to crisis intervention in psychosis: A review. *Psychotherapy in Australia*, Vol. 20(3): 28-35.
- Leamy, Mary et al. (2011). Conceptual framework for personal recovery in mental health: Systematic review and narrative synthesis. *British Journal of Psychiatry*, Vol. 199(6): 445-452.
- Miller S. & Bertolino, B. (2016). Feedback Informed Treatment: Danske Manualer. ICCE – International Center for Clinical Excellence.
- Miller, S. D. et al. (2005). Making Treatment Count: Client-Directed, Outcome-Informed Clinical Work with Problem Drinkers. *Psychotherapy in Australia*, Vol. 11(4): 42- 56.
- Miller, S. D. et al. (2006). Using formal client feedback to improve outcome and retention: Making ongoing, real-time assessment feasible. *Journal of Brief Therapy*, Vol. 5(1): 5-22.
- NREPP (2012). Partners for Change Outcome Management System (PCOMS): International Center for Clinical Excellence. NREPP: SAMHSA's National Registry of Evidence-based Programs and Practices.
- Olson, M. E. et al. (2014). The Key elements of dialogic practice in Open Dialogue: Fidelity criteria. Worcester, USA: University of Massachusetts Medical School.
- Pejtersen, J. H. et al. (2018). Effekten af Feedback Informed Treatment i bostøtte-indsatsen: Et randomiseret kontrolleret forsøg. Kbh: VIVE.
- Psykiatriens Hus (u.å.). Psykiatriens Hus. Psykiatriens Hus Silkeborg. Tilgængelig fra <https://psykiatrienshus.silkeborg.dk/Om-Psykiatriens-Hus> [lokaliseret august, 2019]
- Rambøll (2014). Åben Dialog: Del II: Manual. Udarbejdet af Rambøll for Socialstyrelsen. Odense: Socialstyrelsen.
- Rambøll (2014). Åben Dialog: Del I: Om tilgangen. Udarbejdet af Rambøll for Socialstyrelsen. Odense: Socialstyrelsen.
- Reese, R. J. et al. (2009). Does A Continuous Feedback System Improve Psychotherapy Outcome? *Psychotherapy*, Vol. 46(4): 418-431.
- Reese, R. J. et al. (2010). Effect of Client Feedback on Couple Psychotherapy Outcome. *Psychotherapy*, Vol. 47(4): 616-630.
- Seikkula, J. & Arnkil, T. E. (2014). Åben dialog i relationel praksis: Respekt for anderledeshed i øjeblikket. København: Akademisk Forlag.
- Seikkula, J. (2011). Becoming Dialogical: Psychotherapy or a Way of Life? *Australian and New Zealand Journal of Family Therapy*, Vol. 32(3): 179-193.
- Seikkula, J. et al. (2004). Five-year experience of first-episode nonaffective psychosis in open-dialogue approach: Treatment principles, follow-up outcomes, and two case studies. *Psychotherapy Research*, Vol. 16(2): 214-228.
- Seikkula, J. et al. (2011). The comprehensive open-dialogue approach in western Lapland: II. Long-term stability of acute psychosis outcomes in advanced community care. *Psychosis*, Vol. 3(3): 192-204.
- Socialstyrelsen (2017). Feedback Informed Treatment: En metode i vækst. *SocialAnalyse*, 03.2017. Odense: Socialstyrelsen.

Socialstyrelsen (2017). Omkostningsvurdering af Feedback Informed Treatment (FIT). Odense: Socialstyrelsen.

Socialstyrelsen (2018). Erfaringsopsamling: Projekt Forebyggelse af magtanvendelse på botilbud. Odense: Socialstyrelsen.

Socialstyrelsen (2019, 5. december). FIT i bostøtteindsatsen – København. Socialstyrelsen. Tilgængelig fra: <https://socialstyrelsen.dk/tvaergaende-omrader/dokumenterede-metoder-born-og-ung>

Socialstyrelsen (2019, 5. december). Feedback i myndighedsarbejdet – Gladsaxe. Socialstyrelsen. Tilgængelig fra <https://socialstyrelsen.dk/tvaergaende-omrader/dokumenterede-metoder-born-og-unge/om-dokumenterede-metoder/fit/kommuneinterview-om-fit/feedback-i-myndighedsarbejdet-2013-gladsaxe> [Lokaliseret 29-06-2020].

Socialstyrelsen (2019, 5. december). FIT i bostøtteindsatsen – København. Socialstyrelsen. Tilgængelig fra <https://socialstyrelsen.dk/tvaergaende-omrader/dokumenterede-metoder-born-og-unge/om-dokumenterede-metoder/fit/kommuneinterview-om-fit/fit-i-kobenhavns-kommune> [lokaliseret 25-03-2020].

Udviklingsenheden, Socialforvaltningen, Aarhus Kommune (u.å.). Den danske 2-årige uddannelse i Åben Dialog. Aarhus: Aarhus Kommune. Tilgængelig fra <https://udviklingsenheden.aarhus.dk/aben-dialog/den-danske-2-aarige-uddannelse-i-aben-dialog/> [lokaliseret 22-06-2020].

Vange, B. (2015). Set, hørt og forstået: Inspiration til åben dialog og netværksmøder. København: Akademisk Forlag.

Østergård, O.K. et al. (2018). The effect of using the Partners for Change Outcome Management System as feedback tool in psychotherapy: A systematic review and meta-analysis. *Psychotherapy Research*, Vol. 30(2): 195-212.

Artiklen Definition er i 2022 opdateret til at indeholde følgende litteratur

Anthony, William A. (2000). A Recovery Oriented Service System: Setting some system level standards. *Psychiatric Rehabilitation Journal*, Vol. 24(2): 159-168.

Dalum, Helle Stentoft et al. (2015). From Recovery Programs to Recovery-Oriented Practice? A Qualitative Study of Mental Health Professionals' Experiences When Facilitating a Recovery-Oriented Rehabilitation Program. *Archives of Psychiatric Nursing*, Vol. 29(6): 419-425.

Davidson, L. et al. (2005). *Recovery from severe mental illnesses: Research evidence and implications for practice*, Volume 1. Boston, USA: Center for Psychiatric Rehabilitation.

Davidson, L. et al. (2012). Peer Support among persons with severe mental illnesses: A review of evidence and experience. *World Psychiatry*, Vol. 11(2): 123-128.

Det Nationale TBT-Center (2020). *Traume-Bevidst Tilgang i Danmark*. Danske Regioner.

Epløv, L. F. et al. (2010). *Psykiatrisk og Psykosocial Rehabilitering: En recovery-orienteret tilgang*. København: Munksgaard.

Felitti V. J. et al. (1998). Relationship of Childhood Abuse and Household Dysfunction to Many of the Leading Causes of Death in Adults: The Adverse Childhood Experiences (ACE) Study. *American Journal of Preventive Medicine*, Vol. 14 (4): 245-258.

- Harrison, G. et al. (2001). Recovery from psychotic illness: A 15- and 25-year international follow-up study. *British Journal of Psychiatry*, Vol. 178: 506-517.
- Hopper, K. et al. (2007). *Recovery from schizophrenia: An international perspective: A report from the WHO Collaborative Project, The International Study of Schizophrenia*. New York: Oxford University Press.
- Johnstone, L. et al. (2018). *The Power Threat Meaning Framework: Towards the identification of patterns in emotional distress, unusual experiences and troubled or troubling behaviour, as an alternative to functional psychiatric diagnosis*. Leicester: The British Psychological Society.
- Juliussen, F. B. (2021). *Recovery-orienteret rehabilitering: Re-orientering for mental sundhed*. København: Hans Reitzels Forlag.
- Juliussen, Finn Blickfeldt (2016). Betydningen af feedback fra 'erfarings-eksperter' Den bedste indikator på, om indsatsen virker, får man ved at spørge borgeren selv. *STOF*, nr. 26.
- Miyamoto, Yuki & Sono, Tamaki (2012). Lessons from Peer Support Among Individuals with Mental Health Difficulties: A Review of the Literature. *Clinical Practice and Epidemiology in Mental Health*, Vol. 8: 22-29.
- Rehabiliteringsforum Danmark & Marselisborgcentret (2004). *Hvidbog om rehabiliteringsbegrebet*. Århus: Rehabiliteringsforum Danmark; Århus: Marselisborgcentret.
- Repper, Julie et al. (2013). *Peer-support workers: theory and practice*. London: Centre for Mental Health and Mental Health Network, NHS Confederation.
- Slade, M. (2019). *Brief INSPIRE-O*. Tilgængelig fra: <https://www.researchintorecovery.com/files/Brief%20INSPIRE-O.pdf> [Lokaliseret 24-02-2022].
- Slade, Mike & Longden, Eleanor (2015). The empirical evidence about recovery and mental health. *BMC Psychiatry*, Vol. 15: 285.
- Slade, Mike (2013). *100 ways to support recovery: A guide for mental health professionals* (2. Udg.). London: Rethink Mental Illness.
- Topor, A. et al. (2011). Not just an individual journey: Social aspects of recovery. *International Journal of Social Psychiatry*, Vol. 57(1): 90-99.
- Topor, A. et al. (2020). *At komme sig: Fra personlig udvikling til social forandring*. Kbh: Dansk Selskab for Psykosocial Rehabilitering.
- Wilken, P. J. & Hollander, D. (2013). *Rehabilitering og recovery: En integreret tilgang*. København: Akademisk Forlag.



Socialstyrelsen

Socialstyrelsen
Edisonsvej 1
5000 Odense C
Tlf.: 72 42 37 00

www.socialstyrelsen.dk